

PRELIMINARY & FINAL SITE PLAN

PREPARED FOR

1652 PRINCETON AVENUE BLOCK 103, LOTS 66, 67 & 68

SITUATE IN

LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY

OWNERS LIST

Block	Lot	Owner	Address	City/Town	Zip	Land Use
102	1, 2	SKORA, ROMAN LUX	971 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	3, 4, 5	NUSSE, RONALD LUX	969 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	6, 7, 8	JASKOWSKI, TOMASZ & SIVA	967 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	9, 10	GONZALEZ RODRIGUEZ, GUIMERINDO	965 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
63, 64		BERGEVIN, CANDICE	68 MYRTLE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
65		RIVERA, JAVIER	74 MYRTLE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
66		GRIGLE MANAGEMENT	724 HIGHWAY 33	HAMILTON, NJ	08619	COMMERCIAL
67		PADALINO, BARTOLO & ROSA	144 OLD DENZOW RD	LAWRENCEVILLE, NJ	08648	COMMERCIAL
68, 69		SUK, HASIL A ET AL	1634 PRINCETON AVE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
		PAK, JUNG SIK & SUE YOL	965 PINE ST	LAWRENCEVILLE, NJ	08648	COMMERCIAL
103	1	RUSIN, CZESLAW & ZOFIA	1990 PRINCETON AVE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	2, 3	NTKEMEZ, DAMIAN	71 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	4	PISANKO, BONIFACI	61 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	5	MODELILOSKI, JANA & SOTOWSKA, B & J	59 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	6	HAMBLEY, GERALDINE B	1041 POTTS MILL RD	ROSENTOON, NJ	08505	RESIDENTIAL
	7	CASTRO, FRANCIS	51 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	8	GLOMINA, ANASTASIA	49 VERMONT AVE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	55, 56	DICHOCA, MARCELA	954 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	57, 58	GONKA, ROSAL & JOSEPH S	956 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	59, 60	LITWIN, EWA	958 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	61, 62	POJAK, MICHAEL J	960 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	63, 65	ALI, MOHAMMAD S	962 PINE ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	69	MARTYNIK, ANTHONY	1990 BRUNSWICK PINE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	70, 72	RUSIN, CZESLAW & ZOFIA	1990 PRINCETON AVE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	73, 75	VERMONT, LLC	75 VERMONT AVE	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
104	1	KOPP-SINSKI, JESSICA	40 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	2	KOLODKO, ANNE	12 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	66	ROSATI, ROSALEE J & HORACE J JR	68 VERMONT ST	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	67	CHAUDHRY, SOBATAA	78 LAWR PENN RD	LAWRENCEVILLE, NJ	08648	RESIDENTIAL
	68	RYAN, PROPERTIES LLC C/O MILKA	109 DEERPATCH DRIVE	WASHINGTON CROSSING, PA	19377	RESIDENTIAL
	69	VENTIGLI, PHILIP A	107 JON AVE	TRENTON, NJ	08650	COMMERCIAL
201	27	TRENTON MMT GROWERS COOP ASSN	965 SPRUCE ST	LAWRENCEVILLE, NJ	08648	COMMERCIAL
	28	TRENTON MMT GROWERS COOP ASSN	2800 POST OAK BLVD #3700	HOUSTON, TX	77056	COMMERCIAL
	29	AMER, RAMM	112 LAWR PENN RD	LAWRENCEVILLE, NJ	08648	COMMERCIAL
	30	VERNON FM 317 PROPERTY TAX	C/O DUFF & PHELPS PO 2749	ACADIAN, TX	79001	COMMERCIAL
	31	MNP WANNER COMPANY LLC	1602 PENNINGTON ROAD	LYONS, NJ	08618	COMMERCIAL
33, 34		KS PROPERTY INVESTMENT GROUP LLC	1917 PRINCETON AVE	LAWRENCEVILLE, NJ	08648	COMMERCIAL
	35	PRIN AVE ASSOC LLC - ERMELO OBLEADA	C/O 1 GREENFIELD DR NORTH	WEST WINDSOR, NJ	08650	COMMERCIAL


NOTE: THE RESIDENTIAL USES ON LOTS 65 & 69 (BLOCK 103) ARE SUBJECT TO A 25' BUFFER FROM THE PROPOSED COMMERCIAL USE. A VARIANCE IS REQUESTED FOR PROVIDING A FULL 25-FOOT BUFFER.

AGENCIES REQUIRING NOTICE

Agency Name	Contact Person	Address	City/Town	Phone
Corporate Secretary Livingston Sewerage Authority 100 Whittier Road Livingston, NJ 08648	Corporate Secretary Public Service Electric & Gas Company 80 Park Plaza, 4th Newark, NJ 07102	One Elizabeth Place Princeton, NJ 08540	Princeton	609-952-1234
N.J. American Water 1015 Laurel Oak Road Princeton, NJ 08840 ATTN: Diana Short	Corporate Secretary Trenton Water Works 100 South Street Trenton, NJ 08604	100 South Street Princeton, NJ 08540	Princeton	609-952-1234
APCO Water Company 1075 Mill Road Princeton, NJ 08851 ATTN: James Barbato	Corporate Secretary NJN Corporation 100 Corporate Center Princeton, NJ 08540	100 Corporate Center Princeton, NJ 08540	Princeton	609-952-1234
Mercer County Planning Board 140 South Broad Street P.O. Box 8008 Trenton, NJ 08646-8008	Corporate Secretary NJ State Police 100 State Police Princeton, NJ 08540	100 State Police Princeton, NJ 08540	Princeton	609-952-1234
Sun Pipe Line Company ATTN: R. O. W. Department 1801 Market Street 36th Floor Philadelphia, Pa 19103-3099	Corporate Secretary NJ Department of Transportation 1000 Parkway Avenue, CN 0900 Trenton, NJ 08625	1000 Parkway Avenue, CN 0900 Trenton, NJ 08625	Trenton	609-952-1234

SHEET INDEX

- 1 COVER SHEET
 - 2 AERIAL MAP
 - 3 DEMOLITION PLAN
 - 4 SITE PLAN
 - 5 GRADING & UTILITY PLAN
 - 6 LANDSCAPING PLAN
 - 7 LIGHTING PLAN
 - 8 TRAFFIC CONTROL PLAN
 - 9 - 11 CONSTRUCTION DETAILS
- SUPPLEMENTAL SHEETS**
- 1 BOUNDARY & TOPOGRAPHIC SURVEY



KEY MAP

SCALE: 1"=100'

REQUIRED REGULATORY APPROVALS

1. MERCER COUNTY PLANNING BOARD
2. EWING - LAWRENCE SEWERAGE AUTHORITY
3. TRENTON WATER WORKS

OWNER & APPLICANT:

MITCH BROWN
GRIGLE MANAGEMENT
724 ROUTE 33
HAMILTON, NJ 08619

I/WE ARE THE OWNER OF THE PROPERTY AS DESIGNATED AND SHOWN HEREON AND HEREBY APPROVE THE FILING OF THIS PLAN WITH THE TOWNSHIP OF LAWRENCE ZONING BOARD.

MITCH BROWN 5/24/21
DATE

ACREAGE SUMMARY

LOT-66 3,478 S.F. / 0.080 AC.
LOT-67 2,000 S.F. / 0.046 AC.
LOT-68 1,600 S.F. / 0.036 AC.
TOTAL LOTS 66, 67 & 68 7,078 S.F. / 0.162 AC.

LAWRENCE TAX MAP INFORMATION:

BLOCK 103
LOTS 66, 67 & 68
SHEET 1

RECORD DEED INFORMATION:

BLOCK-103, LOTS 66, 67 & 68
DEED BOOK 6312
PAGE 1679

APPROVAL SIGNATURES


APPROVED BY THE TOWNSHIP OF LAWRENCE ZONING BOARD:

CHAIRPERSON _____ DATE _____

SECRETARY _____ DATE _____

MUNICIPAL ENGINEER _____ DATE _____

PREPARED BY



With Offices In
New Jersey, Pennsylvania & Delaware

Consulting Civil Engineering
Bridge Design
Highway Design
Construction Inspection
Geotechnical Engineering
Water / Wastewater
Municipal Engineering
Land Surveying
Professional Planning
Landscape Architecture
NJ LLC CERT. NO. 24GE05225800



BY: *James A. Bash* DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800

REVISIONS PER TOWNSHIP COMMENTS	JAB	5/24/21
REVISIONS PER COMPLETENESS REVIEW	JAB	1/4/21
REVISIONS	AUTH.	DATE





GENERAL NOTES:

1. THIS AERIAL IMAGE DEPICTED ON THIS PLAN IS BASED ON AERIAL PHOTOGRAPHY OF THE STATE OF NEW JERSEY FURNISHED ON THE NJGN WEB SITE IN 2015. THE CONDITIONS OF THE SITE AND SURROUNDING AREA MAY HAVE CHANGED SINCE THE DATE OF THE PHOTOGRAPHY AND THEREFORE THE PLAN MAY NOT ACCURATELY REFLECT ALL CURRENT EXISTING CONDITIONS.
2. THIS MAP SHALL SERVE TO SHOW ALL SIGNIFICANT FEATURES WITHIN 2,000 FEET OF THE PROPERTY IN QUESTION, INCLUDING SCHOOLS, PARKS, MAJOR STREETS, ZONING BOUNDARIES, MAJOR SHOPPING CENTERS AND EMPLOYMENT CENTERS AS REQUIRED ON HAMILTON TOWNSHIP CHECKLIST FORM NUMBER 2C.
3. THERE ARE NO FLOOD HAZARD AREAS, FLOODWAYS OR AREA WITHIN THE 500-YEAR FLOODPLAIN LOCATED ON THE PROPERTY IN QUESTION OR ITS ADJOINING PROPERTIES.



DATE:	JULY 1, 2020	
SCALE:	1"=100'	
DESIGNED BY:	J.A.B.	
DRAWN BY:	R.R.F.	
CHECKED BY:	J.A.B.	
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21	
REVISIONS	AUTH. DATE JOB NO.	
		1804LA

BY:  DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800



Consulting Civil Engineering
 Bridge Design
 Highway Design
 Construction Inspection
 Geotechnical Engineering
 Water / Wastewater
 Municipal Engineering
 Land Surveying
 Professional Planning
 Landscape Architecture
 NJ LLC CERT. No. 24GA28132300

With Offices In
 New Jersey, Pennsylvania & Delaware


SOUTH CENTRAL NEW JERSEY OFFICE
 4 AAA DRIVE, SUITE 103, HAMILTON, NJ 08691
 EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
 WEB: WWW.VANCLEEFENGINEERING.COM
 PHONE: (609) 689-1100 FAX: (609) 689-1120

AERIAL MAP


PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE

SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY

COUNTY ROUTE 583
PRINCETON AVENUE
66' R.O.W. TAX MAP



DEMOLITION PLAN
SCALE: 1"=10'



EXISTING	LEGEND	PROPOSED
	SANITARY SEWER	
	STORM SEWER	
	FLARED END SECTION	
	DRAINAGE INLET	
	DRAINAGE MANHOLE	
	HEADWALL	
	SANITARY SEWER MANHOLE	
	FIRE HYDRANT	
	SIGN	
	UTILITY POLE	
	VALVE	
	WATER MAIN	
	GAS MAIN	
	ELECTRIC LINE	
	TELEPHONE LINE	
	GRADE ELEVATION	
	CONTOUR ELEVATION	
	TO BE REMOVED	
	BOLLARD	
	CONCRETE REMOVAL	
	PAVEMENT REMOVAL	
	PAVEMENT MILLING	
	TO BE REMOVED	

REFERENCE PLANS:
1. RIGHT OF WAY AND PROPERTY LINES TAKEN FROM FILED MAPS, DEEDS AND TAX MAPS AND COMBINED WITH R.O.W. & PROPERTY CORNER MARKER FOUND WHEN FIELD SURVEY WAS PERFORMED.

REFERENCE DATUM:
1. DATUM USED BASED ON NAVD83 AND NEW JERSEY STATE PLANE COORDINATE SYSTEM, NAD83

LAWRENCE TOWNSHIP TAX MAP INFORMATION
BLOCK ----- 103
LOTS ----- 66, 67 & 68
SHEET ----- 1

RECORD DEED INFORMATION
BLOCK-103, LOTS 66, 67 & 68
DEED BOOK ----- 6312
PAGE ----- 1679

- SURVEY NOTES:**
- THIS MAP REFLECTS EXISTING SITE CONDITIONS AS THE RESULT OF A FIELD SURVEY PERFORMED BY VAN CLEEF ENGINEERING ASSOCIATES ON JUNE 19, 2020.
 - THIS PLAN IS NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).
 - IT IS IMPERATIVE THAT UTILITY COMPANIES ARE NOTIFIED PRIOR TO ANY EXCAVATION AND/OR CONSTRUCTION CALL 1-800-272-1000 TO ORDER UTILITY MARKOUTS.
 - ABOVE GROUND PHYSICAL FEATURES AS SHOWN ARE BASED ON FIELD SURVEY.
 - BOUNDARY INFORMATION BASED ON THE REFERENCED DEEDS, BEARING SHOWN ARE IN NAD 83.
 - SUBJECT TO ALL EASEMENTS, RESTRICTIONS, RIGHTS-OF-WAY AND EXCEPTIONS OF RECORD.
 - THE LOCATION OF UNDERGROUND UTILITIES, AS DEPICTED, ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE SURVEY. THEREFORE, THERE MAY BE ADDITIONAL UNDERGROUND UTILITIES THAT ARE NOT SHOWN. VAN CLEEF ENGINEERING ASSOCIATES DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED. REFERENCE TO THE APPROPRIATE UTILITY AUTHORITY SHOULD BE MADE TO VERIFY THE PRESENCE OR ABSENCE OF UTILITIES.
 - THE POSSIBILITY OF UNDERGROUND STORAGE TANK WAS NOT FOUND AT THE TIME OF THE FIELD SURVEY.
 - CORNER MARKERS SHOWN HEREON HAVE BEEN FOUND. ANY MISSING CORNER MARKERS WILL NOT BE SET AS DIRECTED BY THE ULTIMATE USER.
 - THE RIGHT-OF-WAY LINE SHOWN IS APPROXIMATE AND IS BASED IN TAX MAP INFORMATION AND INFORMATION FROM DEEDS FOUND.

811
Call before you dig.
1-800-272-1000

TO LOCATE UNDERGROUND UTILITIES
IF YOU'RE GOING TO DIG, BLAST OR DRILL
THREE (3) WORKING DAYS NOTICE

REMEMBER
IT'S THE LAW!
RECUERDENSE
ES LA LEY!
EXCAVE CON SEGURIDAD
Dig Safely.

NEW JERSEY
LLAME ANTES DE EXCAVAR
811
1-800-272-1000

PARA LOCALIZAR LAS UTILIDADES SUBTERRANEAS
SI VAYEN A EXCAVAR, INSTALAR O DRILLAR,
DE AVISO PREVIAMENTE REQUERIDO
RECUERDENSE
ES LA LEY!
EXCAVE CON SEGURIDAD
Dig Safely.

DATE:	JULY 1, 2020
SCALE:	1"=10'
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS	AUTH. DATE
JOB NO.	1804LA

BY: DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800


Consulting Civil Engineering
Bridge Design
Highway Design
Construction Inspection
Geotechnical Engineering
Water / Wastewater
Municipal Engineering
Land Surveying
Professional Planning
Landscape Architecture

Southcentral New Jersey Office
4 ASA DRIVE, SUITE 103 HAMILTON, NJ 08611
EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
PHONE (609) 689-1100 FAX (609) 689-1120
NJ LLC CERT. No. 24GA2813200

DEMOLITION PLAN
PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY

COUNTY ROUTE 583
PRINCETON AVENUE

66' R.O.W. TAX MAP



LEGEND

EXISTING		PROPOSED
	SANITARY SEWER	
	STORM SEWER	
	FLARED END SECTION	
	DRAINAGE INLET	
	DRAINAGE MANHOLE	
	HEADWALL	
	SANITARY SEWER MANHOLE	
	FIRE HYDRANT	
	SIGN	
	UTILITY POLE	
	VALVE	
	WATER MAIN	
	GAS MAIN	
	ELECTRIC LINE	
	TELEPHONE LINE	
	GRADE ELEVATION	
	CONTOUR ELEVATION	
	TO BE REMOVED	
	BOLLARD	

SCHEDULE OF REQUIREMENTS - NEIGHBORHOOD CENTER 1 (NC-1) DISTRICT

ZONE REQUIREMENT	NC-1 ZONE REQUIREMENTS	PROPOSED
MINIMUM LOT AREA	5,000 SF	7,078 SF
MINIMUM LOT FRONTAGE	50 FT	56 FT
MINIMUM LOT WIDTH	50 FT	56 FT
MINIMUM LOT DEPTH	90 FT	100 FT
MINIMUM FRONT YARD	0 FT	0 FT
MINIMUM SIDE YARD	10 FT	11 FT
MINIMUM REAR YARD	25 FT	73 FT
MINIMUM ACCESSORY SETBACK	5 FT	5 FT
PERMISSIBLE SURFACE RATIO	0.8	0.699
FLOOR AREA RATIO	0.3	0.34 (V)
MAXIMUM BUILDING SIZE	10,000 SF	1,215 SF

(V) = VARIANCE REQUESTED

PARKING REQUIREMENTS
REQUIRED:
COMMERCIAL = 1 PER 200 SF
1,215 SF = 6.1 SPACES REQ.
3 BEDROOM APARTMENT = 2.1 SPACES
1 APARTMENT = 2.1 SPACES
TOTAL REQUIRED = 8.2 SPACES

PROVIDED:
ON SITE PARKING = 9 SPACES
ON STREET PARKING = 3 SPACES
TOTAL PROVIDED = 12 SPACES

REFERENCE PLANS:
1. RIGHT OF WAY AND PROPERTY LINES TAKEN FROM FILED MAPS, DEEDS AND TAX MAPS AND COMBINED WITH R.O.W. & PROPERTY CORNER MARKER FOUND WHEN FIELD SURVEY WAS PERFORMED.


REFERENCE DATUM:
1. DATUM USED BASED ON NAVD83 AND NEW JERSEY STATE PLANE COORDINATE SYSTEM, NAD83

LAWRENCE TOWNSHIP TAX MAP INFORMATION
BLOCK ----- 103
LOTS ----- 66, 67 & 68
SHEET ----- 1

RECORD DEED INFORMATION
BLOCK-103, LOTS 66, 67 & 68
DEED BOOK ----- 6312
PAGE ----- 1679

- SURVEY NOTES:**
- THIS MAP REFLECTS EXISTING SITE CONDITIONS AS THE RESULT OF A FIELD SURVEY PERFORMED BY VAN CLEEF ENGINEERING ASSOCIATES ON JUNE 19, 2020.
 - THIS PLAN IS NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).
 - IT IS IMPERATIVE THAT UTILITY COMPANIES ARE NOTIFIED PRIOR TO ANY EXCAVATION AND/OR CONSTRUCTION CALL 1-800-272-1000 TO ORDER UTILITY MARK-OUTS.
 - ABOVE GROUND PHYSICAL FEATURES AS SHOWN ARE BASED ON FIELD SURVEY.
 - BOUNDARY INFORMATION BASED ON THE REFERENCED DEEDS, BEARING SHOWN ARE IN NAD 83.
 - SUBJECT TO ALL EASEMENTS, RESTRICTIONS, RIGHTS-OF-WAY AND EXCEPTIONS OF RECORD.
 - THE LOCATION OF UNDERGROUND UTILITIES, AS DEPICTED, ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE SURVEY. THEREFORE, THERE MAY BE ADDITIONAL UNDERGROUND UTILITIES THAT ARE NOT SHOWN. VAN CLEEF ENGINEERING ASSOCIATES DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED. REFERENCE TO THE APPROPRIATE UTILITY AUTHORITY SHOULD BE MADE TO VERIFY THE PRESENCE OR ABSENCE OF UTILITIES.
 - THE POSSIBILITY OF UNDERGROUND STORAGE TANK WAS NOT FOUND AT THE TIME OF THE FIELD SURVEY.
 - CORNER MARKERS SHOWN HEREON HAVE BEEN FOUND. ANY MISSING CORNER MARKERS WILL NOT BE SET AS DIRECTED BY THE ULTIMATE USER.
 - THE RIGHT-OF-WAY LINE SHOWN IS APPROXIMATE AND IS BASED IN TAX MAP INFORMATION AND INFORMATION FROM DEEDS FOUND.

SITE PLAN
SCALE: 1"=10'





DATE:	JULY 1, 2020
SCALE:	1"=10'
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21
REVISIONS	AUTH. DATE JOB NO. 1804LA

BY: DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800

SITE PLAN
PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY

COUNTY ROUTE 583
PRINCETON AVENUE

66' R.O.W. TAX MAP



REFERENCE PLANS:

- RIGHT OF WAY AND PROPERTY LINES TAKEN FROM FILED MAPS, DEEDS AND TAX MAPS AND COMBINED WITH R.O.W. & PROPERTY CORNER MARKER FOUND WHEN FIELD SURVEY WAS PERFORMED.

REFERENCE DATUM:

- DATUM USED BASED ON NAVD83 AND NEW JERSEY STATE PLANE COORDINATE SYSTEM, NAD83

LAWRENCE TOWNSHIP TAX MAP INFORMATION


BLOCK ----- 103
 LOTS ----- 66, 67 & 68
 SHEET ----- 1

RECORD DEED INFORMATION

BLOCK-103, LOTS 66, 67 & 68
 DEED BOOK ----- 6312
 PAGE ----- 1679

- SURVEY NOTES:**
- THIS MAP REFLECTS EXISTING SITE CONDITIONS AS THE RESULT OF A FIELD SURVEY PERFORMED BY VAN CLEEF ENGINEERING ASSOCIATES ON JUNE 19, 2020.
 - THIS PLAN IS NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).
 - IT IS IMPERATIVE THAT UTILITY COMPANIES ARE NOTIFIED PRIOR TO ANY EXCAVATION AND/OR CONSTRUCTION CALL 1-800-272-1000 TO ORDER UTILITY MARKOUTS.
 - ABOVE GROUND PHYSICAL FEATURES AS SHOWN ARE BASED ON FIELD SURVEY.
 - BOUNDARY INFORMATION BASED ON THE REFERENCED DEEDS, BEARING SHOWN ARE IN NAD 83.
 - SUBJECT TO ALL EASEMENTS, RESTRICTIONS, RIGHTS-OF-WAY AND EXCEPTIONS OF RECORD.
 - THE LOCATION OF UNDERGROUND UTILITIES, AS DEPICTED, ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE SURVEY. THEREFORE, THERE MAY BE ADDITIONAL UNDERGROUND UTILITIES THAT ARE NOT SHOWN. VAN CLEEF ENGINEERING ASSOCIATES DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED. REFERENCE TO THE APPROPRIATE UTILITY AUTHORITY SHOULD BE MADE TO VERIFY THE PRESENCE OR ABSENCE OF UTILITIES.
 - THE POSSIBILITY OF UNDERGROUND STORAGE TANK WAS NOT FOUND AT THE TIME OF THE FIELD SURVEY.
 - CORNER MARKERS SHOWN HEREON HAVE BEEN FOUND. ANY MISSING CORNER MARKERS WILL NOT BE SET AS DIRECTED BY THE ULTIMATE USER.
 - THE RIGHT-OF-WAY LINE SHOWN IS APPROXIMATE AND IS BASED IN TAX MAP INFORMATION AND INFORMATION FROM DEEDS FOUND.

GRADING & UTILITY PLAN
SCALE: 1"=10'



811 **Call before you dig.**
1-800-272-1000
TO LOCATE UNDERGROUND UTILITIES
IF YOU'RE GOING TO DIG, BLAST OR DRILL
THREE (3) WORKING DAYS NOTICE
REMEMBER
IT'S THE LAW!
RECUERDSE
ES LA LEY!
EXCAVE CON SEGURIDAD
Dig Safely.

LLAME ANTES DE EXCAVAR
811
1-800-272-1000
PARA LOCALIZAR LAS UTILIDADES SUBTERRANEAS
SI VAYEN A RECONSTRUIR, INSTALAR O TRABAJAR
EN UNO DE LOS SIGUIENTES TRABAJOS:
RECONSTRUCCION
AUTOPISCION
EXCAVACION
Dig Safely.

DATE:	JULY 1, 2020
SCALE:	1"=10'
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21
REVISIONS	AUTH. DATE JOB NO. 1804LA

BY: DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800


Van Cleaf
ENGINEERING ASSOCIATES

Consulting Civil Engineering
 Bridge Design
 Highway Design
 Construction Inspection
 Geotechnical Engineering
 Water / Wastewater
 Municipal Engineering
 Land Surveying
 Professional Planning
 Landscape Architecture


Southcentral New Jersey Office
 4 ASA DRIVE, SUITE 103 HAMILTON, NJ 08611
 EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
 WEB: WWW.VANCLEEFENGINEERING.COM
 PHONE (609) 689-1100 FAX (609) 689-1120
 NJ LLC CERT. No. 24GA2813200

GRADING & UTILITY PLAN
 PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
 SITUATE IN
 LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY

COUNTY ROUTE 583
PRINCETON AVENUE



LANDSCAPING PLAN
SCALE: 1"=10'



LANDSCAPE SCHEDULE:


SYMBOL	QTY	BOTANICAL NAME	COMMON NAME	MINIMUM SIZE	REMARKS
TREES					
	2	Acer buergerianum	Trident Maple	2 1/2"-3" CAL.	B&B
	1	Amelanchier x hybrid 'Cumulus'	Shadbolt 'Cumulus'	2 1/2"-3" CAL.	B&B
	1	Acer rubrum 'Red Sunset'	Red Sunset Red Maple	3"-3.5" CAL.	B&B
SHRUBS					
	8	Cornus alba sibirica	Tratator Dogwood	3'-4' HT.	#3 CAN
	15	Taxus cuspidata densiformis	Dense Yew	3.5'-4' HT.	#3 CAN
	20	Juniperus chinensis glauca hetzi	Hetz Juniper	2.5'-3' HT.	#3 CAN
	20	Thuja stanishii x plicata 'Green Giant'	Green Giant	5'-6' HT.	#3 CAN
	20	Thuja occidentalis	Emerald Green Arborvitae	5'-6' HT.	#3 CAN

- GENERAL LANDSCAPE NOTES:**
- ALL PLANTS SHALL BE TYPICAL OF THEIR SPECIES OR VARIETY, AND SHALL HAVE NORMAL WELL-DEVELOPED BRANCHES AND WOOLY/FIBROUS ROOT SYSTEMS. ALL PLANTS SHALL BE NURSERY-GROWN UNLESS OTHERWISE STATED. THEY SHALL HAVE BEEN GROWING UNDER THE SAME CLIMATE CONDITIONS AS THE MUNICIPALITY FOR AT LEAST TWO (2) YEARS PRIOR TO DATE OF PLANTING. ALL PLANTS WHICH ARE FOUND UNSUITABLE IN GROWTH OR CONDITION OR WHICH ARE NOT TRUE TO NAME SHALL BE REMOVED AND REPLACED WITH ACCEPTABLE PLANTS.
 - ALL PLANT MATERIAL SHALL BE TWICE TRANSPLANTED, NURSERY-GROWN OF SPECIMEN QUALITY. THEY SHALL BE OF SYMMETRICAL GROWTH OR TYPICAL OF THE VARIETY AND SUPPLIED FROM SOURCES IN THE SAME HARDNESS ZONE AS THE DEVELOPMENT IS LOCATED AND FREE OF INSECT AND DISEASE PROBLEMS OR QUESTIONABLE DISPOSITIONS. ALL PLANT MATERIAL SHALL CONFORM TO THE STANDARDS OF THE AMERICAN ASSOCIATION OF NURSERYMEN.
 - ALL PLANTING BEDS SHALL RECEIVE MINIMUM 4" OF SHREDDED HARDWOOD BARK.
 - ALL SHRUB MASSSES SHALL BE PLANTED IN CONTINUOUS MULCHED BEDS.
 - ALL PLANTINGS SHALL OCCUR BETWEEN MARCH AND MAY OR SEPTEMBER AND OCTOBER.
 - PLEASE REFER TO THE SOIL EROSION AND SEDIMENT CONTROL PLANS FOR SEEDING SCHEDULE, SLOPE STABILIZATION AND PROPOSED SOIL EROSION AND SEDIMENT CONTROL SPECIFICATIONS.
 - ALL LANDSCAPING SHALL BE INSTALLED PER THE LAWRENCE TOWNSHIP LANDSCAPE NOTES AND REQUIREMENTS OF SECTION 525 OF THE LAWRENCE TOWNSHIP LAND USE DEVELOPMENT.

LAWRENCE TOWNSHIP LANDSCAPE NOTES:
§ 525 Landscaping.

- A. **General Provisions.** The following general provisions shall apply to the installation and design of landscapes:
- All land areas not covered with buildings, parking, or other impervious surfaces shall be landscaped with suitable materials. Landscaping shall consist of trees, shrubs, ground cover, perennials, and annuals singly or in common as well as other inanimate materials such as rocks, water, sculpture, art, walls, fences, and paving materials.
 - A landscape design shall be provided as part of site plan and subdivision submissions in accordance with Article VIII. Every applicant for subdivision or site plan approval shall comply with the minimum standards as set forth in this section.
 - The Board of Jurisdiction may require additional landscaping to create an appropriate landscaping scheme for the site given the nature of the site and the proposed development.
 - Where subdivisions only are applied for, the minimum standards shall apply only to street trees and to common open space and areas proposed to be dedicated to the public.
 - All landscape plants shall be typical in size and weight for their species and shall conform to the standards of the American Association of Nurserymen for quality and installation.
 - Plants with pervasive root systems shall not be located where they may cause damage to drainage pipes or other underground utilities and storm water management facilities and should generally be no closer than 10 feet measured horizontally.
 - All plants shall be tolerant of specific site conditions. The use of indigenous species is strongly encouraged. Exotic, non-native invasive plant species shall not be permitted.
 - Visual screening is required to buffer all trash enclosures, above ground propane tanks and other similar structures as identified by the Zoning Officer. [Ord.1585-99, 9/7/1999]
- B. **Landscape Design Guidelines.**
- Landscaping shall be conceived holistically and be designed to achieve a thorough integration of the various elements of site design, including building and parking placement, the natural features of the site and the preservation of pleasing or aesthetic views. Landscaping shall be used to accent and complement the form and type of building proposed.
 - In the landscape design of sites, areas shall be designated for retaining existing trees and the replacement of trees cleared from the site in accordance with §541.
 - Landscaping shall be located to provide effective climatic control. The east and west walls of a building should be the most heavily vegetated to shade for summer sun and the north to northwest area for winter prevailing winds. The southerly facing side of a building should be shaded from summer sun but open for solar gain during the winter.
 - Plant's susceptibility to disease, their colors, textures, shapes, blossoms, and foliage characteristics shall be considered in the overall design of a landscape plan.
 - Local soil conditions and water availability shall be considered in the choice of landscaping.
 - In the design process, the eventual maturity of the plant shall be considered for its effect on circulation patterns, solar access, site lighting, drainage, emergency access and relationship to buildings and the streetscape.

LEGEND



REFERENCE PLANS:

- RIGHT OF WAY AND PROPERTY LINES TAKEN FROM FILED MAPS, DEEDS AND TAX MAPS AND COMBINED WITH R.O.W. & PROPERTY CORNER MARKER FOUND WHEN FIELD SURVEY WAS PERFORMED.

REFERENCE DATUM:

- DATUM USED BASED ON NAVD83 AND NEW JERSEY STATE PLANE COORDINATE SYSTEM, NAD83

LAWRENCE TOWNSHIP TAX MAP INFORMATION

BLOCK: 103
LOTS: 66, 67 & 68
SHEET: 1

RECORD DEED INFORMATION

BLOCK-103, LOTS 66, 67 & 68
DEED BOOK: 6312
PAGE: 1679

SURVEY NOTES:

- THIS MAP REFLECTS EXISTING SITE CONDITIONS AS THE RESULT OF A FIELD SURVEY PERFORMED BY VAN CLEEF ENGINEERING ASSOCIATES ON JUNE 19, 2020.
- THIS PLAN IS NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).
- IT IS IMPERATIVE THAT UTILITY COMPANIES ARE NOTIFIED PRIOR TO ANY EXCAVATION AND/OR CONSTRUCTION CALL 1-800-272-1000 TO ORDER UTILITY MARK-OUTS.
- ABOVE GROUND PHYSICAL FEATURES AS SHOWN ARE BASED ON FIELD SURVEY.
- BOUNDARY INFORMATION BASED ON THE REFERENCED DEEDS, BEARING SHOWN ARE IN RAD 83.
- SUBJECT TO ALL EASEMENTS, RESTRICTIONS, RIGHTS-OF-WAY AND EXCEPTIONS OF RECORD.
- THE LOCATION OF UNDERGROUND UTILITIES, AS DEPICTED, ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE SURVEY. THEREFORE, THERE MAY BE ADDITIONAL UNDERGROUND UTILITIES THAT ARE NOT SHOWN. VAN CLEEF ENGINEERING ASSOCIATES DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED. REFERENCE TO THE APPROPRIATE UTILITY AUTHORITY SHOULD BE MADE TO VERIFY THE PRESENCE OR ABSENCE OF UTILITIES.
- THE POSSIBILITY OF UNDERGROUND STORAGE TANK WAS NOT FOUND AT THE TIME OF THE FIELD SURVEY.
- CORNER MARKERS SHOWN HEREON HAVE BEEN FOUND. ANY MISSING CORNER MARKERS WILL NOT BE SET AS DIRECTED BY THE ULTIMATE USER.
- THE RIGHT-OF-WAY LINE SHOWN IS APPROXIMATE AND IS BASED IN TAX MAP INFORMATION AND INFORMATION FROM DEEDS FOUND.

811 Call before you dig. 1-800-272-1000


Dig Safely LLAME ANTES DE EXCAVAR 1-800-272-1000

DATE:	JULY 1, 2020
SCALE:	1"=10'
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS:	JAB 5/24/21
REVISIONS PER COMPLETENESS REVIEW:	JAB 1/4/21
REVISIONS:	AUTH. DATE JOB NO. 1804LA

BY: DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800

Van Cleef ENGINEERING ASSOCIATES
 Consulting Civil Engineering
 Bridge Design
 Highway Design
 Construction Inspection
 Geotechnical Engineering
 Water / Wastewater
 Municipal Engineering
 Land Surveying
 Professional Planning
 Landscape Architecture

LANDSCAPING PLAN
 PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
 SITUATE IN
 LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY



LEGEND

EXISTING	PROPOSED

Statistics

Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
Adjacent Properties	+	0.0	0.3	0.0	N/A	N/A
Princeton Ave	+	0.5	0.7	0.3	2.3:1	1.7:1
Pine Street	+	1.3	1.8	0.8	2.3:1	1.6:1
Parking Manhole	+	1.5	5.3	0.5	10:6:1	3:0:1
Pine Street	+	0.0	0.5	0.0	N/A	N/A
Princeton Avenue	+	0.0	0.0	0.0	N/A	N/A
Setback	+	1.3	5.8	0.0	N/A	N/A
Sidewalks	+	0.1	1.3	0.0	N/A	N/A

Schedule

Symbol	Label	Image	QTY	Manufacturer	Catalog Number	Description	Lamp	Number Lamps	File Name	Lumens per Lamp	Lumen Multiple	LLF	Wattage	Efficiency	Distrib. Pattern
	A		1	American Electric Lighting	ATBMC P104 R4 3K SINGLE 10 FT POLE HEIGHT	Autobahn Micro P104 Package Roadway Type IV 3000K		1	ATBMC_P104_R4_3K.ies	4278	1	0.85	37	100%	TYPE IV, MEDIUM, BUG RATING: B1 - UO - G1
	B		1	American Electric Lighting	ATBMC P104 R3 3K SINGLE 10 FT POLE HEIGHT	Autobahn Micro P104 Package Roadway Type III 3000K		1	ATBMC_P104_R3_3K.ies	4493	1	0.85	37	100%	TYPE III, SHORT, BUG RATING: B1 - UO - G1
	C		1	Halophane	HLWPC2 P10 30K XX TFM WALL MOUNT SINGLE 13 FT WALL MOUNT HEIGHT	Wallpack Full Cutoff LED, LED Performance Package P10, 3000 series CCT, Voltage, Forward Throw Medium		1	HLWPC2_P10_30K_XX_TFM.ies	2979	1	0.85	25	100%	TYPE IV, SHORT, BUG RATING: B1 - UO - G1


REFERENCE PLANS:
 1. RIGHT OF WAY AND PROPERTY LINES TAKEN FROM FILED MAPS, DEEDS AND TAX MAPS AND COMBINED WITH R.O.W. & PROPERTY CORNER MARKER FOUND WHEN FIELD SURVEY WAS PERFORMED.

REFERENCE DATUM:
 1. DATUM USED BASED ON NAVD83 AND NEW JERSEY STATE PLANE COORDINATE SYSTEM, NAD83


LAWRENCE TOWNSHIP TAX MAP INFORMATION
 BLOCK ----- 103
 LOTS ----- 66, 67 & 68
 SHEET ----- 1

RECORD DEED INFORMATION
 BLOCK-103, LOTS 66, 67 & 68
 DEED BOOK ----- 6312
 PAGE ----- 1679

- SURVEY NOTES:**
- THIS MAP REFLECTS EXISTING SITE CONDITIONS AS THE RESULT OF A FIELD SURVEY PERFORMED BY VAN CLEEF ENGINEERING ASSOCIATES ON JUNE 19, 2020.
 - THIS PLAN IS NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).
 - IT IS IMPERATIVE THAT UTILITY COMPANIES ARE NOTIFIED PRIOR TO ANY EXCAVATION AND/OR CONSTRUCTION CALL 1-800-272-1000 TO ORDER UTILITY MARKOUTS.
 - ABOVE GROUND PHYSICAL FEATURES AS SHOWN ARE BASED ON FIELD SURVEY.
 - BOUNDARY INFORMATION BASED ON THE REFERENCED DEEDS, BEARING SHOWN ARE IN NAD 83.
 - SUBJECT TO ALL EASEMENTS, RESTRICTIONS, RIGHTS-OF-WAY AND EXCEPTIONS OF RECORD.
 - THE LOCATION OF UNDERGROUND UTILITIES, AS DEPICTED, ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK-OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE AND ACCESSIBLE AT THE TIME OF THE SURVEY. THEREFORE, THERE MAY BE ADDITIONAL UNDERGROUND UTILITIES THAT ARE NOT SHOWN. VAN CLEEF ENGINEERING ASSOCIATES DOES NOT GUARANTEE THE UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA EITHER IN SERVICE OR ABANDONED. REFERENCE TO THE APPROPRIATE UTILITY AUTHORITY SHOULD BE MADE TO VERIFY THE PRESENCE OR ABSENCE OF UTILITIES.
 - THE POSSIBILITY OF UNDERGROUND STORAGE TANK WAS NOT FOUND AT THE TIME OF THE FIELD SURVEY.
 - CORNER MARKERS SHOWN HEREON HAVE BEEN FOUND. ANY MISSING CORNER MARKERS WILL NOT BE SET AS DIRECTED BY THE ULTIMATE USER.
 - THE RIGHT-OF-WAY LINE SHOWN IS APPROXIMATE AND IS BASED IN TAX MAP INFORMATION AND INFORMATION FROM DEEDS FOUND.




- A AND B**
- AEL AMERICAN ELECTRIC
 - AUTOBAHN MICRO
 - 37 W LED
 - 3000K CCT
 - TYPE IV OPTICS
 - 0 UPLIGHT
 - REAR SHIELD
 - SINGLE
 - 10 FOOT WALL MOUNT



- C**
- HALOPHANE LIGHTING
 - WALLPACK FFD WALL MOUNT
 - 25 W LED
 - 3000K CCT
 - FORWARD THROW FLAT OPTICS
 - 0 UPLIGHT
 - SINGLE
 - 10 FOOT WALL MOUNT

LIGHTING PLAN
 SCALE : 1"=10'




DATE:	JULY 1, 2020
SCALE:	1"=10'
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21
REVISIONS	AUTH. DATE JOB NO. 1804LA

BY: DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE05225800

Van Cleaf ENGINEERING ASSOCIATES
 CONSULTING CIVIL ENGINEERING
 BRIDGE DESIGN
 HIGHWAY DESIGN
 CONSTRUCTION INSPECTION
 GEOTECHNICAL ENGINEERING
 WATER / WASTEWATER
 MUNICIPAL ENGINEERING
 LAND SURVEYING
 PROFESSIONAL PLANNING
 LANDSCAPE ARCHITECTURE



4 ASA DRIVE, SUITE 103 HAMILTON, NJ 08611
 EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
 PHONE (609) 689-1100 FAX (609) 689-1120
 NJ LLC CERT. NO. 24GA2813200

LIGHTING PLAN
 PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
 SITUATE IN
 LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY




NOTES:



- THE 8" x 48", OR 9" MAX. x 48" BARRICADE RAILS SHALL BE FABRICATED FROM 0.024" ANODIZED ALUMINUM OR 0.125" MAX. PLASTIC SHEETING AND SHALL BE ATTACHED, 4 PER RAIL, WITH 1" NO.14 PAN HEAD METAL SCREWS OR PLASTIC RIVETS. ALL CORNERS SHALL BE ROUNDED.
- ORANGE AND SILVER (WHITE) STRIPES SHALL BE RETROREFLECTIVE SHEETING, TYPE II OR III-A, AS SHOWN FOR CONSTRUCTION SIGNS. ALTERNATE RANGE AND SILVER (WHITE) STRIPES 6" WIDE SLOPING DOWNWARD AT AN ANGLE OF 45 DEGREES IN THE DIRECTION TRAFFIC IS TO PASS.
- THE 18" x 24" SANDBAGS SHALL BE FABRICATED FROM POLYPROPYLENE AND SHALL HAVE A CAPACITY OF 1 CUBIC FOOT. PLACEMENT OF SANDBAGS SHALL BE AS SHOWN ABOVE.
- SANDBAG PLACEMENT MAY BE ADJUSTED AT THE DIRECTION OF THE ENGINEER. ALL DIMENSIONS ON FULL PIPE LENGTH.
- EITHER TYPE III, PE OR TYPE III, PVC CAN BE USED AT THE OPTION OF THE CONTRACTOR.




- GENERAL NOTES:**
- ADVANCE WARNING SIGNS AND TAPERS SHOULD BE EXTENDED AS SIGHT DISTANCES REQUIRE. TO ADJUST FOR REDUCED VISIBILITY DUE TO THE HORIZONTAL AND VERTICAL CURVATURE OF THE ROADWAY, TAPERS MAY ALSO BE EXTENDED FOR PREVAILING SPEEDS.
 - CONSTRUCTION SIGNS WB-9A AND WB-14A SHALL BE USED WHEN SUCH PAVEMENT CONDITIONS EXIST. THE PLACEMENT OF THESE SIGNS SHALL BE AS DIRECTED BY THE ENGINEER.
 - CONSTRUCTION SIGNS R11-4 SHALL BE PLACED AT THE INTERSECTING STREETS WHICH ARE CLOSED TO TRAFFIC BECAUSE OF CONSTRUCTION.
 - A W1-6 SIGN MOUNTED ON A BREAKAWAY BARRICADE AND CENTERED ON THE CLOSED WIDTH SHALL BE LOCATED 90 FEET BEYOND EACH INTERSECTION OR MAIN ACCESS POINT WITHIN THE AREA OF A LANE OR SHOULDER CLOSURE.
 - CONES MAY BE SUBSTITUTED FOR DRUMS UPON APPROVAL OF THE ENGINEER.
 - ALL CONFLICTING STRIPES SHALL BE REMOVED.
 - REMOVABLE PAVEMENT MARKING TAPE OR OTHER MEANS OF TRAFFIC CONTROL SHALL BE UTILIZED WHERE LANE SHIFTS ARE REQUIRED ON INTERMEDIATE OR TOP PAVEMENT LAYERS OR ON EXISTING PAVEMENTS NOT BEING REPAVED.
 - UNLESS OTHERWISE SPECIFIED, TRAFFIC PAINT SHALL BE USED WHEN TRAFFIC STRIPES OR TRAFFIC MARKINGS ARE REQUIRED ON INTERMEDIATE PAVEMENT LAYERS THAT NEED TO BE OPENED TO TRAFFIC DUE TO STAGE CONSTRUCTION.
 - THIS PLAN NOT VALID UNLESS EMBOSSED WITH THE SEAL OF THE UNDERSIGNED PROFESSIONAL(S).




TRAFFIC CONES
NOT TO SCALE



RECOMMENDED TAPER LENGTH AND SPACING FOR CHANNELIZING TAPERS				RECOMMENDED SPACING ALONG TANGENTS	
REGULATORY APPROACH SPEED OF TRAFFIC IN KM/HR (MILES/HOUR)	MINIMUM TAPER RATIO IN LENGTH PER FOOT OF WIDTH	MINIMUM TAPER LENGTH L-FOR LANE WIDTHS		MAXIMUM DEVICE (B) SPACING ALONG TANGENTS IN FEET	MAXIMUM DEVICE (D) SPACING ALONG TANGENTS IN FEET
		10 FT	11 FT 12 FT		
25	10.5:1	105	115	25	50
30	15.0:1	150	165	30	60
35	20.5:1	205	225	35	70
40	27.0:1	270	295	40	80
45	45:1	450	495	45	90
50	50:1	500	550	50	100
55	55:1	550	605	55	110



- LEGEND**
- BREAKAWAY BARRICADES
 - BREAKAWAY BARRICADES WITH SIGN
 - CONSTRUCTION SIGNS
 - DRUMS
 - CONE
 - PRECAST CONCRETE CURB CONSTRUCTION BARRIER (TYPE SPECIFIED)
 - DIRECTION OF TRAFFIC FLOW
 - FLAGGER
 - ILLUMINATED FLASHING ARROW MOUNTED ON TOWING VEHICLE SHOWING BAR PATTERN
 - BUFFER ZONE
 - WORK AREA
 - TMA - TRAFFIC MOUNTED ATTENUATOR W/ ARROW BOARD




DATE:	JULY 1, 2020
SCALE:	N.T.S.
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21
REVISIONS	AUTH. DATE JOB NO. 1804LA

BY: **JAMES A. BASH** N.J. PROFESSIONAL ENGINEER No. 24GE05225800 DATE: 5/24/21

Van Cleef ENGINEERING ASSOCIATES
SOUTH CENTRAL NEW JERSEY OFFICE
4 AAA DRIVE, SUITE 103, HAMILTON, NJ 08601
EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
WEB: WWW.VANCLEEFENGINEERING.COM
PHONE (609) 689-1100 FAX (609) 689-1120


Consulting Civil Engineering
Bridge Design
Highway Design
Construction Inspection
Geotechnical Engineering
Water / Wastewater
Municipal Engineering
Land Surveying
Professional Planning
Landscape Architecture
NJ LLC CERT. No. 24G028132300

TRAFFIC CONTROL PLAN
PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY




- NOTES:**
- 1.) ANY EXCAVATION BELOW DESIRED GRADE DUE TO OVER EXCAVATION OR WET SOIL CONDITIONS SHALL BE BACKFILLED WITH 3/4\" CLEAN CRUSHED STONE. ALL SUBGRADES SHALL BE APPROVED BY THE TOWNSHIP ENGINEERING PRIOR TO POURING.
 - 2.) EXPANSION JOINTS SHALL BE PROVIDED AT EQUAL INTERVALS OF NOT MORE THAN 20' AND AT ALL STORM SEWER MANHOLE JOINTS SHALL BE FILLED WITH PREMOULDED EXPANSION JOINT FILLER, 1/2\" THICK, CONFORMING TO NEW JERSEY DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION. CONSTRUCTION JOINTS SHALL BE PROVIDED EVERY 10'. THE JOINT SHALL BE RECESSED 1/4\" FROM THE TOP AND FRONT OF THE CONCRETE CURB.
 - 3.) CURB SHALL BE TEMPORARILY BACKFILLED TO FINISHED GRADE WITH SOL BEHIND AND STONE ON THE ROAD SIDE AS SOON AS IT HAS ATTAINED SUFFICIENT SUPPORTING STRENGTH OR WITHIN 24 HOURS OF POURING (WHICH EVER IS LESS).
 - 4.) WHEN NEW CURB IS INSTALLED ALONG AN EXISTING PAVED AREA, THE EXISTING PAVEMENT SHALL BE CUT 2 FEET IN FRONT OF THE NEW CURB FACE IN A STRAIGHT LINE WITH A CUTTING WHEEL OR PNEUMATIC HAMMER. THE NEW PAVEMENT SHALL BE TACKED AND BUTTED TO THE EXISTING PAVEMENT. THE COST OF THIS PAVING IS TO BE INCLUDED IN THE UNIT PRICE BID FOR CONCRETE CURB REPLACEMENT.
 - 5.) ALL EXPOSED CONC. SURFACES TO BE TREATED WITH LUMISEAL PLUS CURE AND SEAL COMPOUND OR EQUIVALENT PER MANUFACTURER'S INSTRUCTIONS.


6'x8'x16' CONCRETE CURB REPLACEMENT
NOT TO SCALE




PARKING LOT PAVEMENT CROSS-SECTION
NOT TO SCALE




PAVEMENT JOINT SEALING
NOT TO SCALE



DUMPSTER ENCLOSURE DETAIL
N.T.S.




HANDICAPPED PARKING SIGN
NOT TO SCALE




- NOTES:**
- 1.) THE ENGINEER SHALL APPROVE ALL SUBGRADES PRIOR TO THE POURING OF ANY CONCRETE.
 - 2.) EXPANSION JOINTS SHALL BE PROVIDED AT 20' (MAX.) INTERVALS. JOINTS SHALL BE FILLED WITH 1/2\" BIT-EXPANSION JOINT FILLER.
 - 3.) ALL SIDEWALK THAT IS BROKEN, CRACKED OR OUT OF ALIGNMENT SHALL BE REPLACED PRIOR TO ACCEPTANCE.
 - 4.) PROVIDE HALF DEPTH CONTRACTION JOINTS EVERY 4 FEET.
 - 5.) ALL EXPOSED CONC. SURFACES TO BE TREATED WITH LUMISEAL PLUS CURE AND SEAL COMPOUND OR EQUIVALENT PER MANUFACTURER'S INSTRUCTIONS.
 - 6.) THE RUNNING SLOPE OF THE SIDEWALK SHALL BE LESS THAN 5.0%.

CONCRETE SIDEWALK ADJACENT TO BUILDING DETAIL
NO SCALE




- NOTES:**
- 1.) AT DRIVEWAY CROSSINGS, SIDEWALK SHALL BE 6\" THICK AND SHALL COUNTER TO 10\" x 6\" WIRE MESH 2\" UP FROM THE BOTTOM OF THE SIDEWALK.
 - 2.) THE TOWNSHIP ENGINEER SHALL APPROVE ALL SUBGRADES PRIOR TO THE POURING OF ANY CONCRETE.
 - 3.) EXPANSION JOINTS SHALL BE PROVIDED AT 20' (MAX.) INTERVALS. JOINTS SHALL BE FILLED WITH 1/2\" BIT-EXPANSION JOINT FILLER.
 - 4.) ALL SIDEWALK THAT IS BROKEN, CRACKED OR OUT OF ALIGNMENT SHALL BE REPLACED PRIOR TO ACCEPTANCE.
 - 5.) PROVIDE HALF DEPTH CONTRACTION JOINTS EVERY 4 FEET.
 - 6.) ALL EXPOSED CONC. SURFACES TO BE TREATED WITH LUMISEAL PLUS CURE AND SEAL COMPOUND OR EQUIVALENT PER MANUFACTURER'S INSTRUCTIONS.


CONCRETE SIDEWALK
NO SCALE



COUNTY PAVEMENT CROSS-SECTION
NOT TO SCALE




ADA UNIVERSAL PARKING SPACE DESIGN DETAIL
NOT TO SCALE




- NOTES:**
- 1.) ALL SIGN INSTALLATION SHALL CONFORM TO N.J.A.C. 17:27 SPECIFICATIONS.
 - 2.) A RESIDENT ERROR 5/16\" ID. WASHER SHALL BE PROVIDED BETWEEN THE BOLT AND THE SIGN FACE.
 - 3.) ALL SIGNS AND MARKING SHALL CONFORM TO THE LATEST MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
 - 4.) SEE THE CHART BELOW FOR SPECIFICATIONS.

H	L	CONDITIONS	DESCRIPTION	M.U.T.C.D. SIGN DESIGNATION	SIZE
6	6	CURB, NO SIDEWALK	STOP	(R)-1	30\"x30\"
7	2	CURB AND SIDEWALK	NO PARKING FIRE LANE, HANDICAP SIGN, VAN-ACCESSIBLE, PENALTY SIGN	(R)-51, (R)-52, (R)-53, (R)-54	18\"x24\"


WARNING AND/OR REGULATORY SIGN DETAIL
N.T.S.




HANDICAPPED PARKING SYMBOL
NOT TO SCALE



CROSSWALK STRIPING DETAIL
N.T.S.



DEPRESSED CURB AT HANDICAP RAMP
NO SCALE



- NOTES:**
- 1.) ANY EXCAVATION BELOW DESIRED GRADE DUE TO OVER EXCAVATION OR WET SOIL CONDITIONS SHALL BE BACKFILLED WITH 3/4\" CLEAN CRUSHED STONE. ALL SUBGRADES SHALL BE APPROVED BY THE TOWNSHIP ENGINEERING PRIOR TO POURING.
 - 2.) EXPANSION JOINTS OF CELLULAR COMPRESSED MATERIAL TO BE PLACED AT 20' INTERVALS AND 1/2\" PREMOULDED EXPANSION JOINTS TO BE PLACED LONGITUDINALLY ADJACENT TO ALL ABUTTING CONCRETE STRUCTURES AS THE SPOKES MAY DIRECT. CONSTRUCTION JOINTS TO BE PROVIDED EVERY 20' ALTERNATING WITH EXPANSION JOINTS.
 - 3.) CURB SHALL BE TEMPORARILY BACKFILLED TO FINISHED GRADE WITH SOL BEHIND AND STONE ON THE ROAD SIDE AS SOON AS IT HAS ATTAINED SUFFICIENT SUPPORTING STRENGTH OR WITHIN 24 HOURS OF POURING (WHICH EVER IS LESS).
 - 4.) WHEN NEW CURB IS INSTALLED ALONG AN EXISTING PAVED AREA, THE EXISTING PAVEMENT SHALL BE CUT 2 FEET IN FRONT OF THE NEW CURB FACE IN A STRAIGHT LINE AT A 45 DEGREE ANGLE WITH A CUTTING WHEEL OR PNEUMATIC HAMMER. THE NEW PAVEMENT SHALL BE TACKED AND BUTTED TO THE EXISTING PAVEMENT, IN ACCORDANCE WITH PAVEMENT REPAIRING DETAIL.
 - 5.) FACE FORMING MAY BE USED IF CONTRACTOR CAN DEMONSTRATE TO ENGINEER THAT UNDERMINING OF PAVEMENT WILL NOT OCCUR AND FURTHER SUBJECT TO APPROVAL BY COUNTY ENGINEER. THE EXISTING GRADE, HOWEVER, THE UNIT PRICE BID FOR CURB SHALL INCLUDE 2\" MIN. PAVEMENT REPLACEMENT.

8'x9'x18' MERCER COUNTY CONCRETE CURB
NOT TO SCALE

811
Call before you dig.
1-800-272-1000
TO LOCATE UNDERGROUND UTILITIES IF YOU'RE GOING TO DIG, BLAST OR DRILL THREE (3) WORKING DAYS NOTICE
REMEMBER IT'S THE LAW!
Dig/Safely.



ONE CALL
NEW JERSEY
LAME ANTES DE EXCAVAR
811
1-800-272-1000
PARA LOCALIZAR LAS UTILIDADES SUBTERRANEAS ANTES DE LA EXCAVACION, ESTABLEZCA UN PLAZO DE AVISO DE TRES (3) DIAS DE TRABAJO EN AVANZA.
RECORDAR ES LA LEY!
EXCAVE CON SEGURIDAD
Dig/Safely.

REVISIONS PER TOWNSHIP COMMENTS	JAB	5/24/21	CHECKED BY:	J.A.B.
REVISIONS	AUTH.	DATE	JOB NO.	1804LA


DATE: JULY 1, 2020
SCALE: N.T.S.
DESIGNED BY: J.A.B.
DRAWN BY: R.R.F.
CHECKED BY: J.A.B.
DATE: 5/24/21
BY: **JAMES A. BASH** N.J. PROFESSIONAL ENGINEER No. 24GE05225800

Van Cleef ENGINEERING ASSOCIATES
SOUTH CENTRAL NEW JERSEY OFFICE
4 AAA DRIVE, SUITE 103, HAMILTON, NJ 08601
EMAIL: CONTACT@VANCLEEFENGINEERING.COM
WEB: WWW.VANCLEEFENGINEERING.COM
PHONE: (609) 689-1100 FAX: (609) 689-1120
Consulting Civil Engineering
Bridge Design
Highway Design
Construction Inspection
Geotechnical Engineering
Water / Wastewater
Municipal Engineering
Land Surveying
Professional Planning
Landscape Architecture
NJ LLC CERT. NO. 24G20132300


CONSTRUCTION DETAILS
PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY




CONCRETE SIDEWALK (PUBLIC SIDEWALK CURB RAMP)
N.T.S.




DETECTABLE WARNING SURFACE
N.T.S.




BIKE RACK DETAIL N.T.S.
WHITE VINYL FENCE DETAIL N.T.S.




DETECTABLE WARNING SURFACE
N.T.S.



PEDESTRIAN REFUGE ISLAND
N.T.S.



PEDESTRIAN REFUGE ISLAND
N.T.S.




TYPICAL SHRUB BED PLANTING NO SCALE
TYPICAL PLANTING FOR TREES TO 3 1/2\"/>


INCHES	FEET	INCHES	FEET	INCHES	FEET
3	3	250	250	500	500
4	4	333	333	667	667
5	5	417	417	833	833
6	6	500	500	1000	1000
7	7	583	583	1167	1167
8	8	667	667	1333	1333
9	9	750	750	1500	1500

INCHES	FEET	INCHES	FEET	INCHES	FEET
3	3	250	250	500	500
4	4	333	333	667	667
5	5	417	417	833	833
6	6	500	500	1000	1000
7	7	583	583	1167	1167
8	8	667	667	1333	1333
9	9	750	750	1500	1500

INCHES	FEET	INCHES	FEET	INCHES	FEET
3	3	150	150	300	300
4	4	200	200	400	400
5	5	225	225	450	450
6	6	250	250	500	500
7	7	275	275	550	550
8	8	300	300	600	600
9	9	325	325	650	650




TYPICAL SHRUB BED PLANTING NO SCALE
TYPICAL PLANTING FOR TREES TO 3 1/2\"/>



GROUND COVER PLANTING NO SCALE
TYPICAL GUYING DETAIL (NOT TO SCALE)

The Original Ribbon® Rack—IDSA National Design Award Winner
PERMANENT DESIGN COLLECTION—MUSEUM OF MODERN ART



Model #	# of Bicycles	Rack Length
RB 05	5	38.375' 97.5 cm
RB 07	7	52.375' 158.4 cm
RB 09	9	66.375' 218.4 cm
RB 11	11	80.375' 280.4 cm

Specifications
All standard units made from ASTM A53/A500 SCHD 40 steel pipe (2.375" OD X .154 wall), hydraulically bent with a mandril, hot-dipped galvanized after fabrication.
The RIBBON® RACK is available in ASTM A312 SCHEDULE 40 TP 304 stainless steel, satin #4 finish—optional and extra.
Installation Methods
Inground Anchor Mount—standard
Surface Flange Mount—optional and extra
General Information
RIBBON and the Brandir International, Inc. logo are trademarks of Brandir International Inc., used exclusively by AAA RIBBON RACK CO. Delivery time: Six weeks or sooner from receipt of order.
Important Considerations
Colors (Painting/Coating)—Painting or coating the rack will result in a maintenance problem, as no coating will withstand the abuse of the bicycles. Powder coating cannot be maintained; an enamel finish will chip. AAA RIBBON RACK CO. has the best solution where color is essential. Please contact us to find out how to achieve an appropriate color with a minimum of maintenance.
Materials: Steel tubing or aluminum are not suitable materials for a bicycle rack. Pre-galvanized material will flake and crack during manufacture. AAA RIBBON RACK CO. uses heavy-duty steel pipe, hot-dipped galvanized after fabrication to provide security and durability.
Manufacturer: Hydraulic bending with a mandril, as used by AAA RIBBON RACK CO., insures smooth and aesthetic curves on the Ribbon® Rack. Press bending leaves an indentation; other methods flatten outer curves and crimp inner curves.
• Contractor to install bike rack prior to installation of sidewalk

Specifications / Estimating / Ordering
Please use the following notations:
Quantity
RIBBON® 05 07 09 11 Model Number (# of bicycles)
1 = Inground Anchor Mount
S = Surface Flange Mount
G = Galvanized
S = Stainless Steel

AAA RIBBON BIKE RACK CO. Division of BRANDIR INTERNATIONAL, INC. 521 Fifth Avenue, 17th Floor New York, NY 10115-1799 USA Phone: 800-949-9488 Email: info@ribbonrack.com Web: ribbonrack.com

OR EQUIVALENT

DATE:	JULY 1, 2020
SCALE:	N.T.S.
DESIGNED BY:	J.A.B.
DRAWN BY:	R.R.F.
CHECKED BY:	J.A.B.
REVISIONS PER TOWNSHIP COMMENTS	JAB 5/24/21
REVISIONS	AUTH. DATE JOB NO. 1804LA
BY:	DATE: 5/24/21
JAMES A. BASH N.J. PROFESSIONAL ENGINEER No. 24GE0522800	

Van Cleef ENGINEERING ASSOCIATES
SOUTHCENTRAL NEW JERSEY OFFICE
4 AAA DRIVE, SUITE 103, HAMILTON, NJ 08691
EMAIL: CONTACTUS@VANCLEEFENGINEERING.COM
WEB: WWW.VANCLEEFENGINEERING.COM
PHONE: (609) 689-1100 FAX: (609) 689-1120

Consulting Civil Engineering
Bridge Design
Highway Design
Construction Inspection
Geotechnical Engineering
Water / Wastewater
Municipal Engineering
Land Surveying
Professional Planning
Landscape Architecture
NJ LLC CERT. NO. 24G028132300

CONSTRUCTION DETAILS
PREPARED FOR
BLOCK 103, LOTS 66, 67 & 68
1652 PRINCETON AVENUE
SITUATE IN
LAWRENCE TOWNSHIP, MERCER COUNTY, NEW JERSEY